

EXHIBIT 1 TO APPENDIX B

**CERTIFICATE OF COMPLIANCE
WITH
PROHIBITION ON USE OF SPECIFIED MATERIALS IN CONNECTIONS TO
MUNICIPAL UTILITY DISTRICT WATER SYSTEM**

I, _____(Name of Plumber), a duly licensed plumber in the State of Texas, hereby certify that the connection(s) referenced immediately below at _____(Address) (the "connection") complies in full with the "Prohibition of Use of Specified Materials" provision contained in the Amended and Restated Rules and Regulations for **SOUTHERN MONTGOMERY COUNTY MUNICIPAL UTILITY DISTRICT**. Specifically, each and every pipe and pipe fitting used for the new construction contains less than 8.0% lead. Further, any and all solder or flux used in the improvement contains less than 0.2% lead. These determinations have been made under my direction and supervision. I am aware that there are significant penalties for false certification, including the possibility of fine.

Signature_____

Printed Name_____

Company Name_____

Texas License No._____

Date_____

EXHIBIT 3 TO APPENDIX B

BACKFLOW PREVENTION ASSEMBLY TEST AND MAINTENANCE REPORT

The following form must be completed for each assembly tested. A signed and dated original must be submitted to the District for record keeping purposes:

Name of District: **SOUTHERN MONTGOMERY COUNTY MUNICIPAL UTILITY DISTRICT**
 PWS I.D. #: 1700073 Location of Service:

The backflow prevention assembly detailed below has been tested and maintained as required by TCEQ regulations and is certified to be operating within acceptable parameters.

TYPE OF ASSEMBLY

Reduced Pressure Principle
 Double Check Valve
 Pressure Vacuum Breaker

Reduced Pressure Principle-Detector
 Double Check-Detector
 Spill-Resistant Pressure Vacuum Breaker

Manufacturer _____ Size _____
 Model Number _____ Located At _____
 Serial Number _____

Is the assembly installed in accordance with manufacturer recommendations and/or local codes? _____

	Reduced Pressure Principle Assembly			Pressure Vacuum Breaker	
	Double Check Valve Assembly		Relief Valve	Air Inlet	Check Valve
	1st Check	2nd Check		Opened at ____ psid	Held at ____ psid
Initial Test	Held at ____ psid Closed tight Leaked	Held at ____ psid Closed tight Leaked	Opened at ____ psid Did not open	Did not Open	Leaked
Repairs and Materials Used					
Test After Repair	Held at ____ psid Closed Tight	Held at ____ psid Closed Tight	Opened at ____ psid	Opened at ____ psid	Held at ____ psid

Test gauge used: Make/Model _____ SN: _____ Calibration Date: _____
 Remarks: _____

The above is certified to be true at the time of testing.

Firm Name _____ Certified Tester _____
 Firm Address _____ Cert. Tester No. _____
 Date _____ Firm Phone # _____

* TEST RECORDS MUST BE KEPT FOR AT LEAST THREE YEARS
 ** USE ONLY MANUFACTURER'S REPLACEMENT PARTS

EXHIBIT 4 TO APPENDIX B
SOUTHERN MONTGOMERY COUNTY MUNICIPAL UTILITY DISTRICT SERVICE AGREEMENT

I. **PURPOSE.** The Water District is responsible for protecting the drinking water supply from contamination or pollution which could result from improper plumbing practices. The purpose of this service agreement is to notify each customer of the plumbing restrictions which are in place to provide this protection. The Water District enforces these restrictions to ensure the public health and welfare. Each customer must sign this agreement before the Water District will begin service. After January 1, 1996, when service to an existing connection has been suspended or terminated, the Water District will not reestablish service unless it has a signed copy of this agreement.

II. **PLUMBING RESTRICTIONS.** The following unacceptable plumbing practices are prohibited by State regulations.

A. No direct connection between the public drinking water supply and a potential source of contamination is permitted. Potential sources of contamination shall be isolated from the public water system by an air-gap or an appropriate backflow prevention device.

B. No cross-connection between the public drinking water supply and a private water system is permitted. These potential threats to the public drinking water supply shall be eliminated at the service connection by the installation of an air-gap or reduced pressure-zone backflow prevention device.

C. No connection which allows water to be returned to the public drinking water supply is permitted.

D. No pipe or pipe fitting which contains more than 8.0% lead may be used for the installation or repair of plumbing at any connection which provides water for human use.

E. No solder or flux which contains more than 0.2% lead can be used for the installation or repair of plumbing at any connection which provides water for human use.

III. **SERVICE AGREEMENT.** The following are the terms of the service agreement between the Water District and the Customer.

A. The water system will maintain a copy of this agreement as long as the Customer and/or the premises is connected to the Water System.

B. The Customer shall allow his property to be inspected for possible cross-connections, potential contamination hazards and other unacceptable plumbing practices. These inspections shall be conducted by the Water District or its designed agent prior to initiating new water service; when there is reason to believe that cross-connections, potential contamination hazards or other unacceptable plumbing practices exist; or after any major changes to the private plumbing facilities. The inspections shall be conducted during the Water District office's normal business hours.

C. The Water District shall notify the Customer in writing of any cross-connection, potential contamination hazards or other unacceptable plumbing practice which has been identified during the initial inspection or the periodic reinspection.

D. The customer shall immediately remove or adequately isolate any potential cross-connections or other potential contamination hazards or unacceptable plumbing practice on his premises.

E. The Customer shall, at his expense, properly install, test, and maintain any backflow prevention device required by the District. Copies of all testing and maintenance records shall be provided to the Water District.

IV. **ENFORCEMENT.** If the customer fails to comply with the terms of the Service Agreement, the Water District shall, at its option, either terminate service or properly install, test, and maintain an appropriate backflow prevention device at the service connection. Any expenses associated with the enforcement of this agreement shall be billed to the Customer.

The District has adopted rules and policies protecting the drinking water supply and prohibiting tampering with, removing, adjusting or interfering with a meter, meter box or other component part of the water furnishing system. Violation of the District's rules and policies applicable to the water furnishing system is punishable by fines or other penalties up to \$5,000.00, plus the District's attorney's fees and other costs, and such violation shall, at the District's option, result in termination of District utility service.

CUSTOMER SIGNATURE _____

CUSTOMER NAME _____

ADDRESS _____

DATE _____

ACCT. NO. _____